


DIMENSIONS (mm)





Diagonal	Α	В	C1	C2	D	E1	E2	F1	F2
21.5"	530	327	24.5	53	170	30	28	200	200
24"	581	358	24.5	53	170	30	28	200	200

* D is the distance between suspension cables.



* VM LIGHT&PLAY 21.5" and 24" come with 4 clips VM TWO CLIP SECURE FIX

50 Route de la Reine 92 100 Boulogne-Billancourt FRANCE - +33 (0)1 49 21 00 61 contact@vitrinemedia.com www.vitrinemedia.com





VM LIGHT AND PLAY

Seamlessly integrated with LED light boxes, the VM LIGHT&PLAY brings dynamic content such as videos or smart mandates.

VARIOUS CONFIGURATIONS

It is available in two versions: 21.5-inch LCD screen with a brightness of 2000 nits and 24-inch in 1500 nits. Both formats can be installed in portrait and landscape.

EASY MANAGEMENT OF YOUR CONTENT

Thanks to our **Visibble Display**[®] solution, you can easily create a playlist from any browser and send it via Wi-Fi directly to your VM LIGHT&PLAY screen.

Visibble Display will allow you to easily manage and change the content you want to display on your screens depending on your sales needs & company news.

COMPATIBILITY

VM LIGHT&PLAY is compatible with most of Vitrinemedia's fixation systems: VM CABLE, VM WALL, VM MOBILE STAND EASY CLIP, VM BOX PREMIUM, VM Z LIGHT&PLAY and VM DOCK. It can also be installed on a standard VESA mounting system (200x200mm).











Operates up to an ambient temperature of 50 ° C maximum.

OVERVIEW



CABLES provided with the VM LIGHT&PLAY:

- 51,5mm
- 64mm
- 88mm

For customized lengths, use the PAIR OF CABLES ADJUSTABLE (1035019001) to be purchased additionaly.








Distance between VM LIGHT&PLAYs: D=224mm


Use the PAIR OF CABLES ADJUSTABLE (1035019001) to link VM LIGHT&PLAYs



Use the PAIR OF CABLES ADJUSTABLE (1035019001) to link VM LIGHT&PLAYs




Use the PAIR OF CABLES ADJUSTABLE (1035019001) to link VM LIGHT&PLAYs



51,5MM CABLES provided with VM LIGHT&PLAYs








Distance between VM LIGHT&PLAYs: D=140mm

Use the PAIR OF CABLES ADJUSTABLE (1035019001) to link VM LIGHT&PLAYs





D=51.5mm

51,5MM CABLES provided with VM LIGHT&PLAYs


















D=51.5mm

51,5MM CABLES provided with VM LIGHT&PLAYs





D=216.5mm

Use the PAIR OF CABLES ADJUSTABLE (1035019001) to link VM LIGHT&PLAYs





D=127.5mm



D=64mm

64MM CABLES provided with VM LIGHT&PLAYs

Use the PAIR OF CABLES ADJUSTABLE (1035019001) to link VM LIGHT&PLAYs







